


## PINES Pino-Matic LANE

FEATURING . . . Mr. Larry Unterbrink, co-developer of the Lino-Matic and special consultant to Pines Industries, as he demonstrates the exclusive features of the machine.

### SELF-PROPELLED


EASY OPERATION — No special skill or training is required for the Lino-Matic. Anyone can do a top-notch job of lane conditioning with this machine. And, unlike fully automatic machines, the Lino-Matic is designed to have the operator with the machine to assure on-the-spot observation and control, at all times, of lane conditions. Uses 110 volt service.





### NEW POLISHING METHOD

Dressing and Polishing are simultaneous operations. A pure virgin nylon brush transfers dressing from a capillary roller to the lane surface. This is the same offset method used by lithographic printers when they apply ink to paper precisely, evenly, flawlessly. With this exclusive method of dressing application no fine mist can escape to settle on approaches or channels, there can be no clogged nozzles and no dripping. Perfect, even application is assured. No buffing rolls to replace. The nylon brush polishes gently and smoothly, and never damages or splinters your lane.



### CLEANS PIN DECK



Special, adjustable handle lowers to permit complete cleaning of the pin deck. The machine is purposely designed with a low silhouette to assure sufficient headroom clearance.

# CONDITIONER promotes higher scores through uniform lane conditioning!



With the Lino-Matic, dust is always picked up, never pushed along. Pines "Red Edge" cloth is held to the lane by a sponge-type roller and is advanced continuously, automatically to assure that clean cloth is always in contact with the lane. Larry Unterbrink points to a three lane pattern of dust pick-up. Note: the dust is not just in one thin line across the cloth, but covers at least one inch per lane. Even pick-up like this assures uniform cleaning at minimum cost.



Because the wheels on the Lino-Matic "ride up" the incline at the approach end of the channel the entire machine is lifted clear of the approach giving POS-ITIVE assurance that no oil can touch the approaches. This photo shows the clearance between machine and lane at the foul line. Note how the design of the Lino-Matic gives ample clearance to the foul lights.

#### **FULL ONE-YEAR WARRANTY**

Because the Lino-Matic Lane Conditioner has been engineered and constructed to give maintenance free service a full one year warranty on all parts is given on each machine.



#### MANEUVERABLE

The Lino-Matic is easy to handle and maneuvers easily from lane to lane with a simple pivot. Non-marking rubber tired, Oilite wheels transport the machine smoothly and effortlessly.



### ONE-MAN STORAGE

Specially mounted heavy-duty casters simplify storage of the Lino-Matic. Only one man is needed to place the machine in even the tightest space.